## **PCT**

## WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:		(11) International Publication Number: WO 97/34591
A61K 31/175, 35/78, 47/36, 35/74, 1/0522	A23L A1	(43) International Publication Date: 25 September 1997 (25.09.97)
(21) International Application Number: PCT/AU97/00174		(72) Inventors; and (75) Inventors/Applicants (for US only): BROWN, Ian, Lewis
(30) Priority Data:  PN 8810 PN 8811 PN 8812 PN 8812 PN 8814 20 March 1996 (20 PN 8814) 20 March 1996 (20 PN 8814) 20 March 1996 (20 PN 8814)	0.03.96) A 0.03.96) A	[AU/AU]; 18 Valley Way, Gymea Bay, NSW 2227 (AU), CONWAY, Patricia, Lynne [AU/AU]; 22 Goorawahi Avenue, La Perouse, NSW 2036 (AU), EVANS, Anthony, John [AU/AU]; 75 Blackbutt Avenue, Pennant Hills, NSW 2120 (AU), HENRIKSSON, Karl, Anders, Olof [SE/AU]; 10/174 Old South Head Road, Bellevue Hill, NSW 2023 (AU), McNAUGHT, Kenneth, John [AU/AU]; 10 Cottage Point Road, Cottage Point, NSW 2084 (AU), WANG, Xin [CN/AU];
Sydney, NSW 2000 (AU). COMMONWEALTH SCIENTIFIC AND INDUSTRIAL RESEARCH ORGANISATION [AU/AU]; Limestone Avenue, Campbell, ACT 2601 (AU).		c NSW 2041 (AU).
		(81) Designated States: AU, CA, JP, KR, NZ, SG, US, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).
Street, Homebush, NSW 2140 (AU), GIST-BROCADES AUSTRALIA PTY. LIMITED [AU/AU]; 9 Moorebank Avenue, Moorebank, NSW 2170 (AU), GOODMAN FIELDER INGREDIENTS LIMITED [AU/AU]; Level 4, 230 Victoria Road, Gladesville, NSW 2111 (AU).		With international search report.

(54) Title: ALTERATION OF MICROBIAL POPULATIONS IN THE GASTROINTESTINAL TRACT

## (57) Abstract

Method of enhancing a resident population of microorganism in a selected site of the gastrointestinal tract of an animal, the method comprising providing to the animal a selected modified or unmodified resistant starch or mixtures thereof in combination with one or more probiotic microorganisms such that upon ingestion the starch passes through the gastrointestinal tract substantially unutilized until it reaches the selected site where it is utilised by the resident and/or the probiotic microorganisms thereof causing an increase in number and/or activity of the microorganisms.